

SPECIFICATIONS

- 1. SLEEPER CONCRETE GRADE TO BE N60. RIGID FORMWORK & INTENSE CONCRETE COMPACTION IN ACCORDANCE WITH AS 3600 IS REQUIRED FOR CASTING EACH SLEEPER.
- 2. HAND COMPACTING EQUIPMENT ONLY IS PERMITTED TO BE USED ADJACENT SLEEPERS (WITHIN DISTANCE = 0.75H)
- 3. THESE SLEEPER SPECIFICATIONS ARE ONLY SUITABLE FOR USE WITH RETAINING WALLS WHICH SATISFY THE FOLLOWING CONDITIONS/LIMITATIONS.
- THE WALL IS NOT SUBJECT TO HEAVY SURCHARGE LOADS. FOR EXAMPLE, NEARBY EXISTING RETAINING WALLS, STRUCTURES OR BUILDINGS WITHIN A DISTANCE EQUAL TO TWO TIMES THE WALL HEIGHT.
- THE FINAL SURFACE GRADIENT ABOVE THE WALL IS LESS THAN 1 VERTICAL RISE IN 10 HORIZONTAL.
- SLEEPERS ARE HANDLED WITH DUE CARE DURING TRANSPORTATION & ERECTION.
- 4. SLEEPER MINIMUM END BEARING LENGTH SHALL NOT BE LESS THAN 25mm EACH END.
- 5. FOR DETERMINATION OF THE APPROPRIATE SLEEPER TYPE, THE HEIGHT IS MEASURED FROM THE TOP OF THE WALL TO THE APPLICABLE SLEEPER. A WALL FACE CROSS SECTION MAY CONSIST OF VARIOUS SLEEPER TYPES.

ASSUMED SOIL PROPERTIES							
γs	=	18kN/m³					
Ø	=	30°					
А	SSUME Surch	D MAX. IARGE					
Q	=	5kPa					

SLEEPER LENGTH	SLEEPER LENGTH (l) = 2000mm							
WALL TYPE	WALL HEIGHT (h)	THICKNESS † (mm)	REINFORCEMENT					
2m STD (GREEN)	≼ 2.0m	75	2-N10					
2m (HD) HEAVY DUTY (YELLOW)	2.0m < h ≤ 3.0m	100	2-N10					
2m (EHD) EXTRA HEAVY DUTY (3.0m < h ≤ 4.0m	110	2-N10					
ZIII (EIIS) EXTRA HEAVT BOTT (I	3.0111 \ 11 \ 4.0111	110	2 1110					



NOTE:

1. PANELS & SLEEPERS MAY BE USED TOGETHER. FOR PANEL TYPES REFER DRAWING WAD150933-S10.

REV.	DATE	DESCRIPTION	DRAFT	ENG.	CHK.	П
0	16.11.15	CONSTRUCTION ISSUE	MJS	NM	(L	
_	17.02.16	CONSTRUCTION REISSUE	MJS	NM	(L	П
2	16.06.17	CONSTRUCTION REISSUE	MJS	NM	CL	
ა	10.05.19	CONSTRUCTION REISSUE	AA	RS	CL	
4	24.05.19	CONSTRUCTION REISSUE	AA	RS	(L	
	l					

WGA
WALLSEESEE GILSERT
AZTEC

60 Wyatt Street, Adelaide South Australia 5000 Telephone 08 8223 7433 Email adelaide@wga.com.au CONCRETE SLEEPERS OUTBACK SLEEPERS AUSTRALIA P/L

2000mm LONG SLEEPER

A3 Job Number

DRAWING NUMBER
Sheet No. Rev.

© C.LINDNER M.SMITH WAD150933 S01 4